



## Software Design Document

### SDS13738 - Z-Wave Plus Assigned Icon Types

This document defines constant identifiers to use for the Icon Type fields defined for the Z-Wave Plus Info Command Class.

Individual tabs in this workbook provide access to the change record and to the actual assigned Icon Types.

The displayed icons are only suggested graphics. A more simplistic view may be achieved by mapping many different icon type identifiers to the same icon graphics. Likewise, if a GUI does not know the specific icon type, it may use the generic

#### **DOCUMENTATION DISCLAIMER**

##### **Copyright Notice**

Copyright © August 23, 2016, Silicon Labs, Inc. and/or its affiliates. All rights reserved.

##### **Trademark Notice**

Silicon Labs, Inc. and Z-Wave are the registered trademarks of Silicon Labs, Inc. and/or its affiliates. Other names may be trademarks of their respective owners.

##### **License Restrictions Warranty/Consequential Damages Disclaimer**

This documentation is provided under certain restrictions on use and disclosure and is protected by intellectual property laws. You may not license, any part, in any form, or by any means. You may use, copy and re-distribute this documentation, in whole or in part. This permission does not grant the recipient's right to modify information contained in this documentation and redistribute this modified information, in whole or in part. Notwithstanding anything contained to the contrary herein, the creation of any derivative works which affects Z-Wave interoperability, based on this documentation shall be strictly prohibited, unless such derivative works are first submitted to the Z-Wave Alliance for review and approval.

##### **Warranty Disclaimer**

The information contained herein is subject to change without notice and is not warranted to be error-free. Silicon Labs and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

##### **Restricted Rights Notice**

If this is documentation that is delivered or accessed by the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Any Silicon Labs software, hardware and/or documentation delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs and/or software or documentation, including any integrated software, any programs installed on hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.













##### **Hazardous Applications Notice**











This documentation is developed for general use. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this documentation to create or facilitate the creation of dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Silicon Labs and its affiliates disclaim any liability for any damages caused by use of this documentation in dangerous applications.











## Revision Record












Doc. Revision	Change by	Date	Comment
1	Jørgen Franck	23-08-2016	Prepared for Public Z-Wave initiative
2	Anders Brandt	24-11-2016	Updated some graphics
3	Nicolas Obriot	22-09-2017	Added new types (Multilevel sensors, sound switch, DIN Rail, entry keypad) Renamed some Notification Type based icons

Z-Wave Plus Icon Type

ICON NAME	ICON VALUE	COMMENT / DESCRIPTION	ASSIGNEE	ASSIGNED ON	SAMPLE ICON(S)
ICON_TYPE_UNASSIGNED	0x0000	MUST NOT be advertised for Installer Icon Type. An application GUI SHOULD show this icon for any unknown generic icon type. If a known generic icon type can be determined from an unknown specific icon type, an application GUI SHOULD NOT show this icon but rather show the generic icon type.	Sigma Designs	21-06-2013	
ICON_TYPE_GENERIC_CENTRAL_CONTROLLER	0x0100	Central Controller	Z-Wave Alliance	24-06-2013	
ICON_TYPE_GENERIC_DISPLAY_SIMPLE	0x0200	Display Simple	Z-Wave Alliance	24-06-2013	
ICON_TYPE_GENERIC_DOOR_LOCK_KEYPAD	0x0300	Door Lock Keypad	Z-Wave Alliance	24-06-2013	
ICON_TYPE_GENERIC_FAN_SWITCH	0x0400	Fan Switch Device Type	Z-Wave Alliance	24-06-2013	
ICON_TYPE_GENERIC_GATEWAY	0x0500	Gateway Device	Z-Wave Alliance	24-06-2013	
ICON_TYPE_GENERIC_LIGHT_DIMMER_SWITCH	0x0600	Generic Light Dimmer icon This icon is intended for user icon types	Z-Wave Alliance	24-06-2013	
ICON_TYPE_SPECIFIC_LIGHT_DIMMER_SWITCH_PLUGIN	0x0601	Light Dimmer, implemented as a plugin device This icon is intended for installer icon types	Sigma Designs	17-12-2014	
ICON_TYPE_SPECIFIC_LIGHT_DIMMER_SWITCH_WALL_OUTLET	0x0602	Light Dimmer, implemented as a wall outlet This icon is intended for installer icon types	Sigma Designs	17-12-2014	
ICON_TYPE_SPECIFIC_LIGHT_DIMMER_SWITCH_CEILING_OUTLET	0x0603	Light Dimmer, implemented as a ceiling outlet This icon is intended for installer icon types	Sigma Designs	17-12-2014	
ICON_TYPE_SPECIFIC_LIGHT_DIMMER_SWITCH_WALL_LAMP	0x0604	Light Dimmer, implemented as a wall mounted lamp This icon is intended for installer icon types	Sigma Designs	18-02-2016	
ICON_TYPE_SPECIFIC_LIGHT_DIMMER_SWITCH_LAMP_POST_HIGH	0x0605	Light Dimmer, implemented as a ceiling outlet This icon is intended for installer icon types	Sigma Designs	18-02-2016	

ICON_TYPE_SPECIFIC_LIGHT_DIMMER_SWITCH_LAMP_POST_LOW				
	0x0606	Light Dimmer, implemented as a ceiling outlet This icon is intended for installer icon types	Sigma Designs	18-02-2016
ICON_TYPE_SPECIFIC_LIGHT_DIMMER_SWITCH_DIN_RAIL_MODULE				
	0x0607	This icon is intended for installer icon types	Sigma Designs	22-09-2017
ICON_TYPE_GENERIC_ON_OFF_POWER_SWITCH				
	0x0700	Generic Relay device icon This icon is intended for user icon types	Z-Wave Alliance	24-06-2013
ICON_TYPE_SPECIFIC_ON_OFF_POWER_SWITCH_PLUGIN				
	0x0701	Relay device, implemented as a plugin device This icon is intended for installer icon types	Sigma Designs	17-12-2014
ICON_TYPE_SPECIFIC_ON_OFF_POWER_SWITCH_WALL_OUTLET				
	0x0702	Relay device, implemented as a wall outlet This icon is intended for installer icon types	Sigma Designs	17-12-2014
ICON_TYPE_SPECIFIC_ON_OFF_POWER_SWITCH_CEILING_OUTLET				
	0x0703	Relay device, implemented as a ceiling outlet This icon is intended for installer icon types	Sigma Designs	17-12-2014
ICON_TYPE_SPECIFIC_ON_OFF_POWER_SWITCH_WALL_LAMP				
	0x0704	Relay device, implemented as a wall mounted lamp This icon is intended for installer icon types	Sigma Designs	18-02-2016
ICON_TYPE_SPECIFIC_ON_OFF_POWER_SWITCH_LAMP_POST_HIGH				
	0x0705	Relay device, implemented as a ceiling outlet This icon is intended for installer icon types	Sigma Designs	18-02-2016
ICON_TYPE_SPECIFIC_ON_OFF_POWER_SWITCH_LAMP_POST_LOW				
	0x0706	Relay device, implemented as a ceiling outlet This icon is intended for installer icon types	Sigma Designs	18-02-2016
ICON_TYPE_SPECIFIC_ON_OFF_POWER_SWITCH_DIN_RAIL_MODULE				
	0x0707	Relay device, implemented as a DIN Rail module This icon is intended for installer icon types	Sigma Designs	22-09-2017
		Power Strip Individual outlets of a power strip should be assigned the following <u>installer type icon</u> : ICON_TYPE_SPECIFIC_POWER_STRIP_INDIVIDUAL_OUTLET		
		Individual outlets of a power strip should be assigned one of the following <u>user type icons</u> : ICON_TYPE_GENERIC_LIGHT_DIMMER_SWITCH, ICON_TYPE_GENERIC_ON_OFF_POWER_SWITCH.		
ICON_TYPE_GENERIC_POWER_STRIP	0x0800		Z-Wave Alliance	24-06-2013
ICON_TYPE_SPECIFIC_POWER_STRIP_INDIVIDUAL_OUTLET				
	0x08FF	Individual outlet of a power strip for showing outlets in exploded view	Sigma Designs	17-12-2014
ICON_TYPE_GENERIC_REMOTE_CONTROL_AV				
	0x0900	Remote Control; AV	Z-Wave Alliance	24-06-2013

ICON_TYPE_GENERIC_REMOTE_CONTROL_MULTI_PURPOSE	0x0A00	Remote Control; Multi Purpose	Z-Wave Alliance	24-06-2013	
ICON_TYPE_GENERIC_REMOTE_CONTROL_SIMPLE	0x0B00	Remote Control Simple	Z-Wave Alliance	24-06-2013	
ICON_TYPE_SPECIFIC_REMOTE_CONTROL_SIMPLE_KEYFOB	0x0B01	Remote Control, Simple (Key fob)	Sigma Designs	12-09-2013	
ICON_TYPE_GENERIC_SENSOR_NOTIFICATION					
ICON_TYPE_SPECIFIC_SENSOR_NOTIFICATION_SMOKE_ALARM	0x0C00	Unknown Sensor Alarm	Z-Wave Alliance	24-06-2013	
	0x0C01	Smoke Alarm	Sigma Designs	03-09-2013	
ICON_TYPE_SPECIFIC_SENSOR_NOTIFICATION_CO_ALARM					
ICON_TYPE_SPECIFIC_SENSOR_NOTIFICATION_CO2_ALARM	0x0C02	CO Alarm	Sigma Designs	03-09-2013	
	0x0C03	CO2 Alarm	Sigma Designs	03-09-2013	
ICON_TYPE_SPECIFIC_SENSOR_NOTIFICATION_HEAT_ALARM	0x0C04	Heat Alarm	Sigma Designs	03-09-2013	
ICON_TYPE_SPECIFIC_SENSOR_NOTIFICATION_WATER_ALARM					
ICON_TYPE_SPECIFIC_SENSOR_NOTIFICATION_ACCESS_CONTROL (Renamed)	0x0C05	Water Alarm	Sigma Designs	03-09-2013	
ICON_TYPE_SPECIFIC_SENSOR_NOTIFICATION_DOOR_WINDOW					
ICON_TYPE_SPECIFIC_SENSOR_NOTIFICATION_HOME_SECURITY (Renamed)	0x0C06	Door/Window alarm	Sigma Designs	22-09-2017	
ICON_TYPE_SPECIFIC_SENSOR_NOTIFICATION_MOTION_ALARM					
ICON_TYPE_SPECIFIC_SENSOR_NOTIFICATION_POWER_MANAGEMENT	0x0C07	Motion Alarm	Sigma Designs	22-09-2017	
ICON_TYPE_SPECIFIC_SENSOR_NOTIFICATION_SYSTEM	0x0C08		Sigma Designs	03-09-2013	
ICON_TYPE_SPECIFIC_SENSOR_NOTIFICATION_EMERGENCY_ALARM	0x0C09		Sigma Designs	03-09-2013	
ICON_TYPE_SPECIFIC_SENSOR_NOTIFICATION_CLOCK	0x0C0A	Emergency Alarm	Sigma Designs	03-09-2013	
ICON_TYPE_SPECIFIC_SENSOR_NOTIFICATION_APPLIANCE	0x0C0B		Sigma Designs	03-09-2013	
ICON_TYPE_SPECIFIC_SENSOR_NOTIFICATION_HOME_HEALTH	0x0C0C		Sigma Designs	09-06-2016	
ICON_TYPE_SPECIFIC_SENSOR_NOTIFICATION_SIREN	0x0C0D		Sigma Designs	09-06-2016	
ICON_TYPE_SPECIFIC_SENSOR_NOTIFICATION_WATER_VALVE	0x0C0E		Sigma Designs	09-06-2016	
	0x0C0F		Sigma Designs	09-06-2016	
ICON_TYPE_SPECIFIC_SENSOR_NOTIFICATION_WEATHER_ALARM	0x0C10		Sigma Designs	09-06-2016	
ICON_TYPE_SPECIFIC_SENSOR_NOTIFICATION_IRRIGATION	0x0C11		Sigma Designs	09-06-2016	
ICON_TYPE_SPECIFIC_SENSOR_NOTIFICATION_GAS_ALARM	0x0C12		Sigma Designs	09-06-2016	
ICON_TYPE_SPECIFIC_SENSOR_NOTIFICATION_PEST_CONTROL	0x0C13		Sigma Designs	22-09-2017	
ICON_TYPE_SPECIFIC_SENSOR_NOTIFICATION_LIGHT_SENSOR	0x0C14	Light detection sensor	Sigma Designs	22-09-2017	

Icon Type	Hex Code	Description	Manufacturer	Release Date	Icon
<p>Bundled Alarm sensors</p> <p>This icon is intended for the installer and user icon types in the root device of a Multi Channel device implementing multiple alarm functions.</p> <p>A user interface should not show the root device.</p> <p>Individual End Points of the multi-alarm device may be assigned any alarm icon</p>					
ICON_TYPE_SPECIFIC_SENSOR_NOTIFICATION_MULTIDEVICE	0x0CFF		Sigma Designs	10-09-2013	
ICON_TYPE_GENERIC_SENSOR_MULTILEVEL					
ICON_TYPE_SPECIFIC_SENSOR_MULTILEVEL_AIR_TEMPERATURE	0x0D00	Multilevel Sensor	Z-Wave Alliance	24-06-2013	
	0x0D01	Multilevel Sensor; Air Temperature	Sigma Designs	03-09-2013	
ICON_TYPE_SPECIFIC_SENSOR_MULTILEVEL_GENERAL_PURPOSE_VALUE					
	0x0D02	Multilevel Sensor; General Purpose	Sigma Designs	03-09-2013	
ICON_TYPE_SPECIFIC_SENSOR_MULTILEVEL_LUMINANCE					
	0x0D03	Multilevel Sensor; Luminance	Sigma Designs	03-09-2013	
ICON_TYPE_SPECIFIC_SENSOR_MULTILEVEL_POWER					
	0x0D04	Multilevel Sensor; Power	Sigma Designs	03-09-2013	
ICON_TYPE_SPECIFIC_SENSOR_MULTILEVEL_HUMIDITY					
	0x0D05	Multilevel Sensor; Humidity	Sigma Designs	03-09-2013	
ICON_TYPE_SPECIFIC_SENSOR_MULTILEVEL_VELOCITY	0x0D06	Multilevel Sensor; Velocity	Sigma Designs	03-09-2013	
ICON_TYPE_SPECIFIC_SENSOR_MULTILEVEL_DIRECTION	0x0D07	Multilevel Sensor; Direction	Sigma Designs	03-09-2013	
ICON_TYPE_SPECIFIC_SENSOR_MULTILEVEL_ATMOSPHERIC_PRESSURE	0x0D08	Multilevel Sensor; Atmospheric Pressure	Sigma Designs	03-09-2013	
ICON_TYPE_SPECIFIC_SENSOR_MULTILEVEL_BAROMETRIC_PRESSURE	0x0D09	Multilevel Sensor; Barometric Pressure	Sigma Designs	03-09-2013	
ICON_TYPE_SPECIFIC_SENSOR_MULTILEVEL_SOLAR_RADIATION	0x0D0A	Multilevel Sensor; Solar Radiation	Sigma Designs	03-09-2013	
ICON_TYPE_SPECIFIC_SENSOR_MULTILEVEL_DEW_POINT	0x0D0B	Multilevel Sensor; Dew Point	Sigma Designs	03-09-2013	
ICON_TYPE_SPECIFIC_SENSOR_MULTILEVEL_RAIN_RATE	0x0D0C	Multilevel Sensor; Rain Rate	Sigma Designs	03-09-2013	
					
	0x0D0D	Multilevel Sensor; Tide Level	Sigma Designs	03-09-2013	
ICON_TYPE_SPECIFIC_SENSOR_MULTILEVEL_WEIGHT	0x0D0E	Multilevel Sensor; Weight	Sigma Designs	03-09-2013	
ICON_TYPE_SPECIFIC_SENSOR_MULTILEVEL_VOLTAGE	0x0D0F	Multilevel Sensor; Voltage	Sigma Designs	03-09-2013	
ICON_TYPE_SPECIFIC_SENSOR_MULTILEVEL_CURRENT	0x0D10	Multilevel Sensor; Current	Sigma Designs	03-09-2013	
					
	0x0D11	Multilevel Sensor; CO2 Level	Sigma Designs	03-09-2013	
ICON_TYPE_SPECIFIC_SENSOR_MULTILEVEL_AIR_FLOW					
	0x0D12	Multilevel Sensor; Air Flow	Sigma Designs	03-09-2013	
ICON_TYPE_SPECIFIC_SENSOR_MULTILEVEL_TANK_CAPACITY					
	0x0D13	Multilevel Sensor; Tank Capacity	Sigma Designs	03-09-2013	
ICON_TYPE_SPECIFIC_SENSOR_MULTILEVEL_DISTANCE	0x0D14	Multilevel Sensor; Distance	Sigma Designs	03-09-2013	
ICON_TYPE_SPECIFIC_SENSOR_MULTILEVEL_ANGLE_POSITION	0x0D15	Multilevel Sensor; Angle Position	Sigma Designs	03-09-2013	
ICON_TYPE_SPECIFIC_SENSOR_MULTILEVEL_ROTATION	0x0D16	Multilevel Sensor; Rotation	Sigma Designs	03-09-2013	

ICON\_TYPE\_SPECIFIC\_SENSOR\_MULTILEVEL\_WATER\_TEMPERATURE



ICON\_TYPE\_SPECIFIC\_SENSOR\_MULTILEVEL\_SOIL\_TEMPERATURE

0x0D17 Multilevel Sensor; Water Temperature Sigma Designs 03-09-2013



0x0D18	Multilevel Sensor; Soil Temperature	Sigma Designs	03-09-2013
0x0D19	Multilevel Sensor; Seismic Intensity	Sigma Designs	03-09-2013
0x0D1A	Multilevel Sensor; Seismic Magnitude	Sigma Designs	03-09-2013
0x0D1B	Multilevel Sensor; Ultraviolet	Sigma Designs	03-09-2013
0x0D1C	Multilevel Sensor; Electrical Resistivity	Sigma Designs	03-09-2013
0x0D1D	Multilevel Sensor; Electrical Conductivity	Sigma Designs	03-09-2013
0x0D1E	Multilevel Sensor; Loudness	Sigma Designs	03-09-2013
0x0D1F	Multilevel Sensor; Moisture	Sigma Designs	03-09-2013
0x0D20	Multilevel Sensor; Frequency	Sigma Designs	03-09-2013
0x0D21	Multilevel Sensor; Time	Sigma Designs	03-09-2013
0x0D22	Multilevel Sensor; Target Temperature	Sigma Designs	03-09-2013
0x0D23	Multilevel Sensor; Particulate Matter 2.5	Sigma Designs	22-09-2017
0x0D24	Multilevel Sensor: Formaldehyde CH2O-level	Sigma Designs	22-09-2017
0x0D25	Multilevel Sensor: Radon Concentration	Sigma Designs	22-09-2017
0x0D26	Multilevel Sensor: Methane (CH4) density	Sigma Designs	22-09-2017
0x0D27	Multilevel Sensor: Volatile Organic Compound level	Sigma Designs	22-09-2017
0x0D28	Multilevel Sensor: Carbon Monoxide level	Sigma Designs	22-09-2017
0x0D29	Multilevel Sensor: Soil Humidity	Sigma Designs	22-09-2017
0x0D2A	Multilevel Sensor: Soil Reactivity	Sigma Designs	22-09-2017
0x0D2B	Multilevel Sensor: Soil Salinity	Sigma Designs	22-09-2017
0x0D2C	Multilevel Sensor: Heart Rate	Sigma Designs	22-09-2017
0x0D2D	Multilevel Sensor: Blood Pressure	Sigma Designs	22-09-2017
0x0D2E	Multilevel Sensor: Muscle Mass	Sigma Designs	22-09-2017
0x0D2F	Multilevel Sensor: Fat Mass	Sigma Designs	22-09-2017
0x0D30	Multilevel Sensor: Bone Mass	Sigma Designs	22-09-2017
0x0D31	Multilevel Sensor: Total Body Water	Sigma Designs	22-09-2017
0x0D32	Multilevel Sensor: Basis Metabolic Rate	Sigma Designs	22-09-2017
0x0D33	Multilevel Sensor: Body Mass Index	Sigma Designs	22-09-2017
0x0D34	Multilevel Sensor: Acceleration X Axis	Sigma Designs	22-09-2017
0x0D35	Multilevel Sensor: Acceleration Y Axis	Sigma Designs	22-09-2017
0x0D36	Multilevel Sensor: Acceleration Z Axis	Sigma Designs	22-09-2017
0x0D37	Multilevel Sensor: Smoke Density	Sigma Designs	22-09-2017
0x0D38	Multilevel Sensor: Water Flow	Sigma Designs	22-09-2017
0x0D39	Multilevel Sensor: Water Pressure	Sigma Designs	22-09-2017
0x0D3A	Multilevel Sensor: Signal Strength	Sigma Designs	22-09-2017
0x0D3B	Multilevel Sensor: particulate Matter 10	Sigma Designs	22-09-2017
0x0D3C	Multilevel Sensor: Respiratory Rate	Sigma Designs	22-09-2017
0x0D3D	Multilevel Sensor: Relative Modulation Level	Sigma Designs	22-09-2017
0x0D3E	Multilevel Sensor: Boiler Water Temperature	Sigma Designs	22-09-2017
0x0D3F	Multilevel Sensor: Domestic Hot Water temperature	Sigma Designs	22-09-2017
0x0D40	Multilevel Sensor: Outside temperature	Sigma Designs	22-09-2017
0x0D41	Multilevel Sensor: Exhaust temperature	Sigma Designs	22-09-2017
0x0D42	Multilevel Sensor: Water Chlorine level	Sigma Designs	22-09-2017
0x0D43	Multilevel Sensor: Water Acidity	Sigma Designs	22-09-2017
0x0D44	Multilevel Sensor: Water Oxidation reduction potential	Sigma Designs	22-09-2017

This icon is intended for the installer and user icon types in the root device of a Multi Channel device implementing multiple sensor functions.  
A user interface should not show the root device.  
Individual End Points of the multi-sensor device may be assigned any sensor icon



ICON\_TYPE\_SPECIFIC\_SENSOR\_MULTILEVEL\_MULTIDEVICE

0x0DFF Sigma Designs 10-09-2013



ICON\_TYPE\_GENERIC\_SET\_TOP\_BOX

0x0E00 Set Top Box

Z-Wave Alliance 24-06-2013



ICON\_TYPE\_GENERIC\_SIREN

0x0F00 Siren

Z-Wave Alliance 24-06-2013



ICON\_TYPE\_GENERIC\_SUB\_ENERGY\_METER

Sub Energy Meter  
**NOTE:** This icon type represents a meter.  
Early versions of this list suggested a sample icon which depicted a multilevel sensor style device.

0x1000

Z-Wave Alliance 24-06-2013



ICON\_TYPE\_GENERIC\_SUB\_SYSTEM\_CONTROLLER

0x1100 Sub System Controller

Z-Wave Alliance 24-06-2013

ICON\_TYPE\_GENERIC\_THERMOSTAT

Thermostat  
This version is generic and may be used in place for all specific variants.  
Thermostat, Line Voltage switching  
This version is explicitly intended to represent line voltage thermostats.  
A line voltage thermostat is directly switching the system power.

0x1200

Z-Wave Alliance 24-06-2013



ICON\_TYPE\_SPECIFIC\_THERMOSTAT\_LINE\_VOLTAGE

0x1201 It is most commonly used for electric space heaters.

Z-Wave Alliance 08-05-2015

ICON\_TYPE\_SPECIFIC\_THERMOSTAT\_SETBACK

Thermostat; Setback type  
This version is explicitly intended to represent programmable thermostats. A setback thermostat may reduce or increase the temperature at different times of the day.

0x1202

Z-Wave Alliance 08-05-2015



ICON\_TYPE\_GENERIC\_THERMOSTAT\_SETBACK\_OBSOLETED

0x1300 Thermostat; Setback type [OBSOLETED]

Z-Wave Alliance 24-06-2013

ICON\_TYPE\_GENERIC\_TV

0x1400 TV

Z-Wave Alliance 24-06-2013



ICON\_TYPE\_GENERIC\_VALVE\_OPEN\_CLOSE

0x1500 Valve; Open/Close type

Z-Wave Alliance 24-06-2013



ICON\_TYPE\_GENERIC\_WALL\_CONTROLLER

Wall Controller  
This icon is intended for the installer and user icon types in the root device of a Multi Channel device implementing a wall controller.  
A user interface should not show the root device.  
The user icon type of each wall controller End Point should be either  
ICON\_TYPE\_GENERIC\_LIGHT\_DIMMER\_SWITCH,  
ICON\_TYPE\_GENERIC\_ON\_OFF\_POWER\_SWITCH.

0x1600

Z-Wave Alliance 24-06-2013
























ICON\_TYPE\_GENERIC\_WHOLE\_HOME\_METER\_SIMPLE

0x1700 Whole Home Meter; Simple

Z-Wave Alliance 24-06-2013



ICON_TYPE_GENERIC_WINDOW_COVERING_NO_POSITION_ENDPOINT	0x1800	Window Covering; No Position/Endpoint	Z-Wave Alliance	24-06-2013	
ICON_TYPE_GENERIC_WINDOW_COVERING_ENDPOINT_AWARE	0x1900	Window Covering; Endpoint Aware	Z-Wave Alliance	24-06-2013	
ICON_TYPE_GENERIC_WINDOW_COVERING_POSITION_ENDPOINT_AWARE	0x1A00	Window Covering; Position/Endpoint Aware	Z-Wave Alliance	24-06-2013	
ICON_TYPE_GENERIC_REPEATER	0x1B00	<p>Repeater</p> <p>This icon is intended for the installer and user icon types in a repeater device.</p> <p>In a special case, this icon type may be used for a Multi Channel End Point that represents the radio interface; for instance if the radio interface has its own battery power supply.</p> <p>An installer interface should show this icon</p> <p>A user interface should not show this icon.</p>	Z-Wave Alliance	22-04-14/ 29-01-16	
ICON_TYPE_GENERIC_DIMMER_WALL_SWITCH	0x1C00	<p>Wall Switch</p> <p>This icon is intended for the installer and user icon types in the root device of a Multi Channel device implementing a wall controller.</p> <p>A user interface should not show the root device.</p> <p>The user icon type of each wall controller End Point should be either</p> <p>ICON_TYPE_GENERIC_LIGHT_DIMMER_SWITCH, ICON_TYPE_GENERIC_ON_OFF_POWER_SWITCH.</p> <p>Wall Switch, 1 button</p>	Sigma Designs	17-12-2014	
ICON_TYPE_SPECIFIC_DIMMER_WALL_SWITCH_ONE_BUTTON	0x1C01	<p>Wall Switch, 1 button</p> <p>This icon is intended for the installer icon type of a Multi Channel End Point in a wall controller - or of the root device of a one-button wall controller.</p>	Sigma Designs	17-12-2014	
ICON_TYPE_SPECIFIC_DIMMER_WALL_SWITCH_TWO_BUTTONS	0x1C02	<p>Wall Switch, 2 buttons</p> <p>This icon is intended for the installer and user icon types in the root device of a Multi Channel device implementing a wall controller.</p>	Sigma Designs	17-12-2014	
ICON_TYPE_SPECIFIC_DIMMER_WALL_SWITCH_THREE_BUTTONS	0x1C03	<p>A user interface should not show the root device.</p> <p>Wall Switch, 3 buttons</p> <p>This icon is intended for the installer and user icon types in the root device of a Multi Channel device implementing a wall controller.</p>	Sigma Designs	17-12-2014	
ICON_TYPE_SPECIFIC_DIMMER_WALL_SWITCH_FOUR_BUTTONS	0x1C04	<p>A user interface should not show the root device.</p> <p>Wall Switch, 4 buttons</p> <p>This icon is intended for the installer and user icon types in the root device of a Multi Channel device implementing a wall controller.</p>	Sigma Designs	17-12-2014	
ICON_TYPE_SPECIFIC_DIMMER_WALL_SWITCH_ONE_ROTARY	0x1CF1	<p>Wall Switch, 1 rotary knob</p> <p>This icon is intended for the installer and user icon types in the root device of a Multi Channel device implementing a wall controller.</p>	Sigma Designs	17-12-2014	
ICON_TYPE_SPECIFIC_DIMMER_WALL_SWITCH_ONE_ROTARY	0x1CF1	A user interface should not show the root device.	Sigma Designs	17-12-2014	

		Wall Switch This icon is intended for the installer and user icon types in the root device of a Multi Channel device implementing a wall controller. A user interface should not show the root device. The user icon type of each wall controller End Point should be either			
ICON_TYPE_GENERIC_ON_OFF_WALL_SWITCH	0x1D00	ICON_TYPE_GENERIC_LIGHT_DIMMER_SWITCH, ICON_TYPE_GENERIC_ON_OFF_POWER_SWITCH. Wall Switch, 1 button	Sigma Designs	17-12-2014	
ICON_TYPE_SPECIFIC_ON_OFF_WALL_SWITCH_ONE_BUTTON	0x1D01	This icon is intended for the installer icon type of a Multi Channel End Point in a wall controller - or of the root device of a one-button wall controller. Wall Switch, 2 buttons	Sigma Designs	17-12-2014	
ICON_TYPE_SPECIFIC_ON_OFF_WALL_SWITCH_TWO_BUTTONS	0x1D02	This icon is intended for the installer and user icon types in the root device of a Multi Channel device implementing a wall controller. A user interface should not show the root device. Wall Switch, 3 buttons	Sigma Designs	17-12-2014	
ICON_TYPE_SPECIFIC_ON_OFF_WALL_SWITCH_THREE_BUTTONS	0x1D03	This icon is intended for the installer and user icon types in the root device of a Multi Channel device implementing a wall controller. A user interface should not show the root device. Wall Switch, 4 buttons	Sigma Designs	17-12-2014	
ICON_TYPE_SPECIFIC_ON_OFF_WALL_SWITCH_FOUR_BUTTONS	0x1D04	This icon is intended for the installer and user icon types in the root device of a Multi Channel device implementing a wall controller. A user interface should not show the root device.	Sigma Designs	17-12-2014	
ICON_TYPE_SPECIFIC_ON_OFF_WALL_SWITCH_DOOR_BELL	0x1DE1	Door Bell (button) This icon is intended for the installer and user icon types of a Door Bell user input device, i.e. the device which sits next to the door on the outside. The device may communicate to e.g. a gateway or a siren.	Sigma Designs	22-04-2015	
ICON_TYPE_SPECIFIC_ON_OFF_WALL_SWITCH_ONE_ROTARY	0x1DF1	Wall Switch, 1 rotary knob This icon is intended for the installer and user icon types in the root device of a Multi Channel device implementing a wall controller. A user interface should not show the root device.	Sigma Designs	17-12-2014	
ICON_TYPE_GENERIC_BARRIER	0x1E00	Barrier This icon is intended for the installer and user icon types of an access control system	Sigma Designs	22-04-2015	
ICON_TYPE_GENERIC_IRRIGATION	0x1F00	Irrigation This icon is intended for the installer and user icon types of an irrigation control system	Sigma Designs	29-01-2016	
ICON_TYPE_GENERIC_ENTRY_CONTROL	0x2000	Entry Control This icon is intended for the installer and user icon types of an entry control system	Sigma Designs	04-08-2016	
ICON_TYPE_SPECIFIC_ENTRY_CONTROL_KEYPAD_0_9	0x2001	Entry Control Keypad 0-9	Sigma Designs	04-08-2016	

ICON\_TYPE\_SPECIFIC\_ENTRY\_CONTROL\_RFID\_TAG\_READER\_NO\_BUTTON

ICON\_TYPE\_SPECIFIC\_ENTRY\_CONTROL\_KEYPAD\_0\_9\_OK\_CANCEL  
ICON\_TYPE\_SPECIFIC\_ENTRY\_CONTROL\_KEYPAD\_0\_9\_OK\_CANCEL\_HOME\_STAY\_AWAY

ICON\_TYPE\_GENERIC\_SENSOR\_NOTIFICATION\_HOME\_SECURITY

ICON\_TYPE\_SPECIFIC\_SENSOR\_NOTIFICATION\_HOME\_SECURITY\_INTRUSION  
ICON\_TYPE\_SPECIFIC\_SENSOR\_NOTIFICATION\_HOME\_SECURITY\_GLASS\_BREAKAGE

ICON\_TYPE\_GENERIC\_SOUND\_SWITCH

ICON\_TYPE\_SPECIFIC\_SOUND\_SWITCH\_DOORBELL  
ICON\_TYPE\_SPECIFIC\_SOUND\_SWITCH\_CHIME  
ICON\_TYPE\_SPECIFIC\_SOUND\_SWITCH\_ALARM\_CLOCK

0x2002 Entry Control RFID tag reader, no button  
0x2003 Entry control keypad 0-9 with ok and cancel buttons  
0x2004 Entry control keypad 0-9 with ok, cancel, home, stay and away buttons

Sigma Designs 04-08-2016  
Sigma Designs 22-09-2017  
Sigma Designs 22-09-2017



0x2100 Home Security Alarm  
0x2101 Home Security Alarm::Intrusion  
0x2102 Home Security Alarm::Glass Breakage

Sigma Designs 22-09-2017  
Sigma Designs 22-09-2017  
Sigma Designs 22-09-2017



0x2200 Sound Switch  
0x2201 Doorbell sound switch  
0x2202 Chime sound switch  
0x2203 Alarm clock sound switch

Sigma Designs 22-09-2017  
Sigma Designs 22-09-2017  
Sigma Designs 22-09-2017  
Sigma Designs 22-09-2017